

Run 13 RHIC Machine/Experiments Meeting

2 April 2013

Agenda:

- Status Reports
- Lumi as determined from ZDC's revisited (A. Dress)

Run 13 plan based on 20 weeks cryo operation

and Fischer et.al. RHIC Collider Projections (FY 2013 – FY 2017), 27 Sep 2012


- ✓ 11 Feb, Begin cool-down to 4.5K
- ✓ 15 Feb, Cool-down to 4.5K in Blue and Yellow Ring complete, begin magnet setup
- ✓ 26 Feb, first collisions
- ✓ 15 Feb -1 Mar, RHIC $\sqrt{s} = 510$ GeV pp machine setup
- ✓ 1-8 Mar, machine ramp-up with 8 hr/night for experiment setup
- ✓ 9 Mar (store 17201), begin $\sqrt{s} = 510$ GeV pp physics run

today, 2 Apr...


- 27 May, end 15 cryo weeks
- 6 Jun, switch to $\sqrt{s} = 15$ GeV/n AuAu if pp goals are met and end 12.7 week $\sqrt{s} = 510$ GeV pp physics run
- 27 Jun, end ~ 2.5 week $\sqrt{s} = 15$ GeV/n AuAu physics run or 15.9 week $\sqrt{s} = 510$ GeV pp physics run, begin cryo warm-up
- 30 June, cryo warm-up \sim complete (19.9 cryo-weeks)



See <http://www.rhichome.bnl.gov/AP/Spin2013/> for the Run Coordinator's detailed plan

Physics stores




Accidental corrected Exp. Coinc. Signals






Preliminary, with Run 13 cross sections, PHENIX and STAR singles corrected




PHENIX Goal, 250 pb⁻¹ recorded, 750 pb⁻¹ delivered, ≥ 55% polarization

STAR Goal, 165 pb⁻¹ recorded, 275 pb⁻¹ delivered, ≥ 55% polarization




Preliminary, with Run 13 cross sections, singles corrected

CNI polarization from <http://www.phy.bnl.gov/cnipol/fills/>




CNI polarization from <http://www.phy.bnl.gov/cnipol/fills/>



Yellow average = $44.2 \pm 0.9\%$


Blue average = $47.6 \pm 0.8\%$



<https://wiki.bnl.gov/rhicspin/Polarimetry/H-jet/Run13>

Yellow average = $48.1 \pm 0.5\%$

Blue average = $53.2 \pm 0.5\%$




<http://www.phy.bnl.gov/cnipol/fills/>

Run 13, $\sqrt{s}=510$ GeV pp CNI Polarization Measurements

4/2/13


◆ Blue dP/dT ▲ Yellow dP/dT - - - Linear (Blue dP/dT) - - - Linear (Yellow dP/dT)



<http://www.phy.bnl.gov/cnipol/fills/>

Additional Information

Run12 255 x 255 Gev pp Jet target Polarization final results




And Yellow beam at injection jet target Run 12 result = $63.0 \pm 4.4\%$

Blue jet target weighted average = $50.3\% \pm 0.5\%$

Yellow jet target weighted average = $53.4\% \pm 0.5\%$

Yellow average = $53.4 \pm 0.5\%$

Blue average = $50.3 \pm 0.5\%$




Feb 2013 bill

\$28.89 actual


billed at \$53/Mwhr

+\$1,132K in BNL bank through Feb 2013




BNL Energy Use FY 2010-13

as of 18 Mar 2013




as of 18 Mar

RHIC Operations FY10-13




as of 18 Mar

RHIC Cryo Operations FY10-13




as of 18 Mar 2013

C-AD Energy Use FY 2002-13



BNL Electricity Cost




Cryogenic Blue & Yellow Rings (14 days)


[Ring Summary \(1 day\)](#) [Sector Plots \(1 day\)](#) [Sector Plots \(14 days\)](#)

File Window Markers Analysis

Blue Cryo Temperatures




Yellow Cryo Temperatures



C-A Operations-FY13

planned, budget permitting, Preliminary

-  concurrent with RHIC
-  setup with beams
-  ramp up luminosity



For Run 13 the PAC recommends the following (*in order of priority*):

1. Running with polarized proton collisions at 500 GeV to provide an integrated luminosity of 750 pb^{-1} at an average polarization of 55%.
2. Depending on the amount of running time remaining after priority #1
 - a. If less than 3 weeks remain, a week of 200 GeV Au+Au collisions.
 - b. If at least 3 weeks of running time remain, 3 weeks of 15 GeV Au+Au collisions.
3. 8 days of 62 GeV p+p collisions.
4. At the discretion of the ALD, 4 days of low-luminosity running to accomplish the pp2pp goals.