Run 15 RHIC Machine/Experiments Meeting

14 Apr 2015

Agenda:

- **Run 15 Schedule** (Pile)
- **Beam Test Proposal** (Liu)
- **Collision Energy for p-Au** (Ranjbar)

Run 15 plan based on 22 weeks cryo operation
with 10 day extension of the 100 GeV pp run

- 20 Jan, Begin cool-down to 4.5K
- 21 Jan (morning), Blue cold
- 22 Jan (evening), Yellow cold
- 23 Jan (after midnight), Beam in Blue
- 7 Feb, First overnight stores for experiments
- 10 Feb (3 days early) store 18662, Begin 9 week **√s=200 GeV pp** physics run

- ***14-17 Mar, Power Dip downtime***

- ***today, 14 Apr…***

- 27 April (Mon), End 10.9 week √s=200 GeV pp physics run

- 8 May (Fri), Begin 5 week **√s=200 GeV/n pAu** physics run
- 12 June (Fri), End 5 week √s=200 GeV/n pAu physics run

- 15 June (Mon), Begin 2 week **√s=200 GeV/n pAl** physics run
- 19 June (Mon), End **4 day (???)** √s=200 GeV/n pAl physics run

- 19 June (Fri), begin cryo warm-up
- 23 June, cryo warm-up complete, ***22.0 cryo weeks*** of operation

See http://www.rhichome.bnl.gov/AP/Spin2015/ for the Run Coordinator's detailed plan

Thru fill 18907, 14 Apr – with updated cross sections



*Based on beam use request

Based on beam use request with 12 weeks physics

Through 6 April



Av Polarization: Blue = 55.7 ± 0.3%; Yellow = 58.4 ± 0.3% (goal ≥60%)



through fill 18907, 4/14/15



through fill 18907, 4/14/15



through fill 18907, 4/14/15



through fill 18905, 4/13/15



through fill 18905, 4/13/15


Run 15 Jet Target Polarization Measurements
Pol_Blue
Initial Lumi
Polatization (%)
Initial Lumi ($10^{30}cm^{-2}s^{-1}$)
Intensity per bunch in blue (x10^{11})
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
140
120
100
80
60
40
20
0
0.50
1.00
1.50
2.00
2.50


Run 15 Jet Target Polarization Measurements
Pol_Yellow
Initial Lumi
Polatization (%)
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
Initial Lumi ($10^{30}cm^{-2}s^{-1}$)
140
120
100
80
60
40
20
0
0.50
1.00
1.50
2.00
2.50
Intensity per bunch in yellow ($x10^{11}$)


RHIC/BeamIons.logreq 04/07/2015 09:51 - 04/14 12:23
File Window Markers Analysis
Emittance [mm.mrad]
0
1
2
3
4
5
Wed 08
Thu 09
Fri 10
Sat 11
Sun 12
Mon 13
Tue 14
BlueHoriz_rms
BlueVert_rms
YellowHoriz_rms
YellowVert_rms
Lumi [10^30 cm^-2 s^-1]
0
20
40
60
80
100
Wed 08
Thu 09
Fri 10
Sat 11
Sun 12
Mon 13
Tue 14
Phenix_logCorrected
Star_logCorrected
Total intensity [10^11]
0
100
200
300
Wed 08
Thu 09
Fri 10
Sat 11
Sun 12
Mon 13
Tue 14
Time
bluDCCTtotal (D)
yelDCCTtotal (D)
bluWCMbunched (D)
yelWCMbunched (D)


RHIC/BeamIons.logreq
03/14/2015 06:05 - 03/14 15:00
Window Menu
Markers
Analysis
Store 18780, Sat 14 Mar (Best Store)
Emittance [mm.mrad]
0
1
2
3
4
5
06:30
07:30
08:30
09:30
10:30
11:30
12:30
13:30
14:30
BlueHoriz_rms
BlueVert_rms
YellowHoriz_rms
YellowVert_rms
Lumi [10^30 cm^-2 s^-1]
0
50
100
Phenix_logCorrected
Star_logCorrected
Total intensity [10^11]
0
100
200
300
Time
bluDCCTtotal (C)
yelDCCTtotal (C)
bluWCMbunched (C)
yelWCMbunched (C)


RHIC/BeamIons.logreq 04/14/2015 02:44 - 04/14 12:36
File Window Markers Analysis
BlueHoriz_rms
BlueVert_rms
YellowHoriz_rms
YellowVert_rms
Lumi [10^30 cm^-2 s^-1]
Phenix_logCorrected
Star_logCorrected
Total intensity [10^11]
Time
bluDCCTtotal (C)
yelDCCTtotal (C)
bluWCMbunched (C)
yelWCMbunched (C)

Archive

Still Best Store to Date – 18780, Sat 14 Mar –



Initial protons in RHIC
Blue = 2.19×10^{11}
Yellow = 2.19×10^{11}
Source Pol = 84.4/81.7%
AGS Pol = 71.6%
RHIC Store Pol (CNI)

	Av	P0	%/hr
Blue =	63.3	65.8	-0.78
Yellow =	60.4	60.4	-0.52


RHIC/BeamIons.logreq 04/06/2015 20:07 - 04/07 05:21
File Window Markers Analysis
Store 18882, Mon 6 April (last store)
Emittance [mm.mrad]
0
1
2
3
4
5
21:00
22:00
23:00
00:00
01:00
02:00
03:00
04:00
05:00
BlueHoriz_rms
BlueVert_rms
YellowHoriz_rms
YellowVert_rms
Lumi [10^30 cm^-2 s^-1]
0
50
100
Phenix_logCorrected
Star_logCorrected
Total intensity [10^11]
0
100
200
300
Time
bluDCCTtotal (C)
yelDCCTtotal (C)
bluWCMbunched (C)
yelWCMbunched (C)


RHIC/BeamIons.logreq 03/31/2015 03:30 - 04/07 10:11
File Window Markers Analysis
Emittance [mm.mrad]
0
1
2
3
4
5
Wed 01
Thu 02
Fri 03
Sat 04
Sun 05
Mon 06
Tue 07
BlueHoriz_rms
BlueVert_rms
YellowHoriz_rms
YellowVert_rms
Lumi [10^30 cm^-2 s^-1]
0
20
40
60
80
100
Wed 01
Thu 02
Fri 03
Sat 04
Sun 05
Mon 06
Tue 07
Phenix_logCorrected
Star_logCorrected
Total intensity [10^11]
0
100
200
300
Wed 01
Thu 02
Fri 03
Sat 04
Sun 05
Mon 06
Tue 07
Time
bluDCCTtotal (D)
yelDCCTtotal (D)
bluWCMbunched (D)
yelWCMbunched (D)

http://www.bnl.gov/cad/esfd

Scheduling Physicist: Makdisi/Pile

C-A Operations-FY15

7 Apr 15

Plan, subject to change




BNL Electricity Cost
2009
2010
2011
2012
2013
2014
2015
$/MWhr without balanced billing
$105
$95
$85
$75
$65
$55
$45
$35
$25
$15
$5
$(5)
sep
oct
nov
dec
jan
feb
mar
apr
may
june
july
aug

Balanced Billing for the lab - +1,308K through Feb 2015




as of 24 Mar
RHIC Cryo Operations FY13-15
RHIC Cryo 13
RHIC Cryo 14
RHIC Cryo 15
MW
9.00
8.00
7.00
6.00
5.00
4.00
3.00
2.00
1.00
0.00
-60
-40
-20
0
20
40
60
80
100
120
140
160
180
200
Days since beginning of Run


as of 24 Mar
RHIC Operations FY13-15
CAD Power 13
CAD Power 14
CAD Power 15
35.00
30.00
25.00
20.00
15.00
10.00
5.00
0.00
MW
-60
-40
-20
0
20
40
60
80
100
120
140
160
180
200
Days since beginning of Run


BNL Energy Use FY 2011-15
as of 24 Mar 2015
RHIC Cryo
RHIC other
AGS-Exp
Booster
AGS-Mach
Tandem
CAD Bldg less SMD
NSRL
Site Base
BNL Peak-Av
Site total not recorded 30 Nov 09 through Oct 2010 and 16 May through 7 July and more
Daily Average Power (MW)
0
5
10
15
20
25
30
35
40
45
50
1-Oct-10
1-Dec-10
1-Feb-11
1-Apr-11
1-Jun-11
1-Aug-11
1-Oct-11
1-Dec-11
1-Feb-12
1-Apr-12
1-Jun-12
1-Aug-12
1-Oct-12
1-Dec-12
1-Feb-13
1-Apr-13
1-Jun-13
1-Aug-13
1-Oct-13
1-Dec-13
1-Feb-14
1-Apr-14
1-Jun-14
1-Aug-14
1-Oct-14
1-Dec-14
1-Feb-15
1-Apr-15
Date

as of 24 Mar 2015




RHIC/BeamIons.logreq 03/10/2015 00:00 - 03/31 23:59
File Window Markers Analysis
~Lumi (max)
Lumi [10^30 cm^-2 s^-1]
120
100
80
60
40
20
0
Mar 10
Mar 12
Mar 14
Mar 16
Mar 18
Mar 20
Mar 22
Mar 24
Mar 26
Mar 28
Mar 30
Apr 01
Phenix_logCorrected
Star_logCorrected

~*Lumi* (max)


~ions/bunch (max)
Total intensity [10^11]
300
200
100
0
Mar 10
Mar 12
Mar 14
Mar 16
Mar 18
Mar 20
Mar 22
Mar 24
Mar 26
Mar 28
Mar 30
Apr 01
Time
bluDCCTtotal (D)
yelDCCTtotal (D)
bluWCMbunched (D)
yelWCMbunched (D)


RHIC/BeamIons.logreq 03/10/2015 00:00 - 03/31 23:59
File Window Markers Analysis
Emittance [mm.mrad]
0
2
4
6
Mar 10
Mar 12
Mar 14
Mar 16
Mar 18
Mar 20
Mar 22
Mar 24
Mar 26
Mar 28
Mar 30
Apr 01
BlueHoriz
BlueVert
YellowHoriz
YellowVert
Lumi [10^30 cm^-2 s^-1]
0
50
100
Phenix_logCorrected
Star_logCorrected
0
100
200
300
Time
bluDCCTtotal (D)
yelDCCTtotal (D)
bluWCMbunched (D)
yelWCMbunched (D)


RHIC/Experiments/kadLumi4phil_pp15.lvdisp 02/10/2015 11:32 - 03/24 09:52
File Window Markers Analysis
~ions/bunch (max)
Total intensity [10^11]
250
200
150
100
50
0
Feb 17
Feb 24
Mar 03
Mar 10
Mar 17
Mar 24
bluDCCTtotal (C)
yelDCCTtotal (C)
bluWCMbunched (C)
yelWCMbunched (C)
~Lumi (max)
Lumi [10^30 cm^-2 s^-1]
100
80
60
40
20
0
Feb 17
Feb 24
Mar 03
Mar 10
Mar 17
Mar 24
Time
Phenix_logCorrected
Star_logCorrected

Run 15 plan based on 22 weeks cryo operation

and Fischer et.al. RHIC Collider Projections (FY 2013 – FY 2022), 21 Sep 2014

- 20 Jan, Begin cool-down to 4.5K
- 21 Jan (morning), Blue cold
- 22 Jan (evening), Yellow cold
- 23 Jan (after midnight), Beam in Blue
- 7 Feb, First overnight stores for experiments
- 10 Feb (3 days early) store 18662, Begin 9 week **√s=200 GeV pp** physics run

- ***14-17 Mar, Power Dip downtime***

- ***today, 24 Mar…***

- 17 April (Fri), End 9 week √s=200 GeV pp physics run – ***note this is a Friday!***

- 28 April (Tue), Begin 5 week **√s=200 GeV/n pAu** physics run
- 2 June (Tue), End 5 week √s=200 GeV/n pAu physics run

- 5 June (Fri), Begin 2 week **√s=200 GeV/n pAl** physics run
- 19 June (Fri), End 2 week √s=200 GeV/n pAl physics run

- 19 June (Fri), begin cryo warm-up
- 23 June, cryo warm-up complete, ***22.0 cryo weeks*** of operation

See http://www.rhichome.bnl.gov/AP/Spin2015/ for the Run Coordinator's detailed plan

~Previous Best Store to Date – 18761, Mon 9 Mar



Initial protons in RHIC

Blue = 1.82×10^{11}

Yellow = 1.84×10^{11}

Source Pol = 81.5/81.5%

AGS Pol = 68.4%

RHIC Store Pol (CNI)

	Av	P0	%/hr
Blue	=		
Yellow	=		

Previous Best Store to Date – 18726, Sun 1 Mar



Initial protons in RHIC

Blue = 1.68×10^{11}

Yellow = 1.72×10^{11}

Source Pol = 83.5/79.1%

AGS Pol = ?%

RHIC Store Pol (CNI)

	Av	P0	%/hr
Blue =	60.5	62.8	-0.97
Yellow =	57.1	60.2	-0.67

23 Feb stores 18706 & 18707



Previous Best Store – 18676, Sat 14 Feb





$\sim L_{peak}$(max)



$\sim L_{average}$(max)

$\sim L_{average}$(min)

Tue Feb 17 12:10:13 2015 – INFO : Phenix avg Lumi = 274750
Tue Feb 17 12:10:13 2015 – INFO : Phenix Int Lumi = 917098
Tue Feb 17 12:10:13 2015 – INFO : Star avg Lumi = 288131

Fill 18676 Update Species pppp
Run run_fy15

Beam Parameters
Pattern 118x129 gamma 106.597

Parameters | Display | Fit

	PHENIX	STAR
Number collisions	111	102
beta* [m]	0.85	0.85
sMax [m]	0.30	2.00
sigma [mb]	0.240	0.279
Single Correction	All	All

Update Display

Source Pol = 81.8/81.9%
AGS Pol = 73.7%
RHIC Store Pol

	Av	P0	%/hr
Yellow =	66.8	70.2	-0.68
Blue =	67.4	68.7	-0.78

PHENIX goals 9 weeks, 50pb-1 recorded within 40 cm vertex with 60% pol
STAR goals 12 weeks, 90 pb-1 recorded and 500M MB events, 60 % pol

Estimate of required lumi (based on Run 12 efficiencies):
STAR = 90/0.6 = 150 pb-1
PHENIX = 50/0.35 = 140 pb-1



Figure 3: Projected minimum and maximum integrated luminosities for polarized proton collisions at 100 GeV beam energy, assuming linear weekly luminosity ramp-up in 5 weeks. An average store polarization between 59% and up to 63% is expected.

Cryogenic Blue & Yellow Rings (14 days)

Ring Summary (1 day) Sector Plots (1 day) Sector Plots (14 days)

File Window Markers Analysis



ePHENIX Update!

symmetry dimensions of particle physics

A joint Fermilab/SLAC publication

home | departments | science topics | image bank | archives

Photo by Andy Freeberg, SLAC National Accelerator Laboratory

breaking

January 16, 2015

20-ton magnet heads to New York

A superconducting magnet begins its journey from SLAC laboratory in California to Brookhaven Lab in New York.

By Justin Eure

PDF download

Imagine an MRI magnet with a central chamber spanning some 9 feet—massive enough to accommodate a standing African elephant. Physicists at the US Department of Energy's Brookhaven National Laboratory need just such an extraordinary piece of equipment for an upcoming experiment. And, as luck would have it, physicists at SLAC

most popular

January 16, 2015

20-ton magnet heads to New York

A superconducting magnet begins its journey from SLAC laboratory in California to Brookhaven Lab in New York.

January 13, 2015

Dark horse of the dark matter hunt

Dark matter might be made up of a type of particle not many scientists are looking for: the axion.

January 12, 2015

Mirror, mirror

After more than six years of grinding and polishing, the first-ever dual-surface mirror for a major telescope is complete.

symmetry tweets

January 19, 2015

ICYMI: Accelerator-driven carbon dating advances everything from archaeology to medicine: http://t.co/hqMcZnCCw4

Who's Who for 2015

RHIC 100 x 100 GeV polarized protons:
Run Coordinator: Vincent Schoefer, schoefer@bnl.gov , 631-344-8453 (office)

RHIC 100 x 100 GeV/n polarized protons on gold and polarized protons on aluminum:
Run Coordinator: Chuyu Liu, cliu1@bnl.gov , 631-344-4431 (office)

Scheduling Physicists:
Yousef Makdisi, makdisi@bnl.gov, 631-344-4932(office) 631-??
Phil Pile, pile@bnl.gov, 631-344-4643 (office), 631-834-2005 (cell)

AGS Liaison:
Haixin Huang, huanghai@bnl.gov , 631-344-5446 (office)

The Plan for Run 15: 22 weeks of cryo operations

Cool-down from 50 K to 4 K	0.5 weeks	
Set-up mode 1 (p↑+p↑ at 100 GeV)	2.5 weeks	(no dedicated time for experiments)
Ramp-up mode 1	0.5 weeks	(8 h/night for experiments)
Data taking mode 1	9 weeks	
Set-up mode 2 (p↑+Au at 100 GeV/nucleon)	1.5 weeks	(no dedicated time for experiments)
Data taking mode 2 with further ramp-up	5 weeks	
Set-up mode 3 (p↑+Al at 100 GeV/nucleon)	0.5 weeks	(no dedicated time for experiments)
Data taking mode 3+1 with further ramp-up	2 weeks	
Warm-up	0.5 week	

From Fischer et. al., RHIC Collider Projections (FY 2014 – FY 2022), 21 Sep 2014